GSTIN: 07AADFO7036R1ZO

Office: First Floor, 1B, R 15, M.B. Road, Pul Prahladpur, South East Delhi - 110044, India Mob.: +91-9599223881 | E-mail: originelectronicsindia@gmail.com

Deals in: Metal Detector, Baggage Scanner, Walkie Talkie, Body Worn Camera, CCTV, Search Light, Safety & Security products......

BODY WORN CAMERA SPECIFICATIONS

Model: BWC-01

Picture		
Item	Function	Parameters
	Chipest	MSTAR MSC8328P
Configuration	Lens	130 degree wide angle
	Senor	4MP CMOS HD Senor OV4689
	LCD	TFT-LCD 2.0 inch high resolution
	Audio broadcast	Alarm Video Voice Prompt
	Zoom	128x digital Zoom
	Capacity	Standard configuration 16GB, max support 128GB
Function	Fast Playback	Playback Video, Audio and Picture, Support 2-128 times fast forward and backward
	Video File Protection	Mark of important video
	Car Mode	Turn on the car mode, make it booth and video
	Virus firewall	Disk write protection, files can be exported, not imported, to prevent virus intrusion
	Silent shooting Mode	Turn on this mode, Sound and light shield shooting.
	Vibration video	Turn on the vibration recording, the device senses the vibration and starts recording
	Motion detection	Turn on motion detection mode, the device starts recording after detecting the moving
	Video resolution	2304x1296/30p 1920x1080/30p

Video		1280x720/30p 1280x720/60p 848x480/30p
	One Button Operation	When the camera is turn off, press and hold the video button to recorder
	Video format	MOV
	Watermark Display	Device ID, Police Officer ID, Date and Time
	Video Pre-recording	15 seconds before starting recording
	Delay recording	Delay recording 5 seconds / 15 seconds / 30 seconds
Audio	Audio	high quality built-in microphone
	One Button Recording	Press and hold the record button will be turn on and start recording
	Recording Format	WAV
Photo	Photo resolution	34M 14M 12M 8M
	Photo format	JPEG
	Multiple Consecutive Photos	Support the number of consecutive shots: 5/10/20
	Capture	Support for capturing photos in video
	Exposure Compensation	Adjustment: 0.0EV~±2.0EV
	White Light	Enable Monitoring video interface, can support night lighting
	Infrared night	The monitoring video interface is manually enabled or automatically
	Vision light	Sensed for night/light scene work
Light	Night vision	See the character of the character at 5 meters, and see the silhouette, of the character at 10 meters
	Work indicator	Green light: Standby/Take photo/Charging (power on state)
		Yellow light: Voice, Red light: recording
		White light: Charging (Off state)
Structure	Size	77x53x25 (mm)
	Weight	110g
	Drop	2 meters
	Waterproof	IP66
Power	Battery	2850m Ah lithium battery
		2304*1296 30P : 660min
	Recording time	1920*1080 30P : 700min
		1280*720 30P: 740min
		848*480 30P : 780min
	Standby time	30 days

	Charging time	4 hours
	Time	On/Off, Automatically identify time after GPS
	Screen	30 seconds / 1 minute / 3 minutes / 5 minutes / off
	Automatic Shut-down	30 seconds / 1 minute / 3 minutes / 5 minutes / off
	USB interface	USB 2.0
	Auto off screen	30 seconds / 1 minute / 3 minutes / 5 minutes / off
	Volume Control	High / Medium / Low
Menu	Tone	On/Off
	Video of sound	Can turn off video of sound, record silent video
	Video of	5,10,15,30, minute video can be set automatically, no gap between
	Segmentation	The 2 videos
	Password Protection	On/Off
	Modify device Number	On/Off
	Language	Chinese/English, etc.
	Infrared moe	Manual Control Or automatic induction
	File view mode	Photo mode / file mode
	Default setting	Restore factory settings
	Wi-Fi	On/Off
	Device Information	Software Version